Elevators MOVING&SERVING



China Factory:Qingxi Town,Dongguan City,Guangdong Tel:+86-769-82078888 Fax:+86-769-87732448 Web:www.ife.cn

This brochure is for your reference only. Please contact IFE professionals for details.

Stock Code:002774 IFE ELEVATORS CO., LTD

Contents

Projects	01
About IFE	19
Products	29
Qualifications	34
Networks	49

Singapore







Certificate of Appreciation was presented by Singapore Deputy Prime Minister Mr. Teo Chee Hean

The Largest Elevator Supplier of Singapore Housing & Development Board Project

From 2007 - 2017

-Awarded Singapore HDB project term 9th/11th/13th/15th/17th/21st/22nd/24th/25th/26th

-Over **6500** units of elevator in total



Singapore



Indonesia

LTA Metro Station







Defu Industrial City Sol Acres

Palmerah Railway Station





Metropolitan Mall Cileungsi






WTC Surabaya



IDCC Shopping mall





JKCC Shopping mall



Empire Damansara



Empire Hotel



Verona Residence





Kazakhstan





Wellness Club LUXOR







Hulhumalé Housing Project

Middle East

Ajman Pearl







Damac-merano Tower, Dubai Eden Garden Towers, Sport City, Dubai

Paradise Lake Tower, Ajman







AZIZI STAR, Afghanistan

Prince Kahlifa Park (PKP), Bahrain





Waterford Plaza



Cancer Centre & Pathwest



Eaton Fair Shopping Centre



King Square One





Pearl Tower

Bai Hotel





Diliman Doctors Hospital





SCILITY BANK

Philippines-LRTLine2

Kingston Tower





Sheraton Hotel (Lagos)

Oriental Mirror Oriental Vervain





New Delhi Metro







The Park Project & The World One Project





Anhanguera_University





704 Bed Teaching Hospital for Kothalawala Defence Univercity








JETWING NEW OFFICE OZO HOTEL COLOMBO









SWISS HOUSE- Johannesburg ROND VISTA- DURBAN

China *;



Foxconn (Apple OEM Factory)



Dalian Wafang Project



Lilang International Jewelry Park



Galaxy Residential Building



Henan Blue Diamond Residential Building







Hongkong Lok Fu Shopping Center



History

Establishing roots

1998/09: IFE Elevators Co., Ltd was Established.

1999/10: IFE was Awarded Guangdong Elevator Safety Production Certification.

Emergence Onto the Global Market

2007/06: Launched Singapore Hdb Project and Outdoor Machine Roomless Elevator.

2008/9: TUV ISO 9001:2000 Management System Certified.

Rapid global expansion

2010/08: Launched 5.0m/s High Speed Elevator and Passed the Type Test Which Won the Prize High Technology Product.

2011/09: the Products have been Supplied to 32 Countries in the World.

2012/11: Adopted Oracle ERP System To Improve The Global Business Management.

2013/05: IFE Elevator Center
Development Project in Central China
was Formally Established between
IFE Elevators and Henan National
Economic and Technological
Development Zone.

2015/12: Awarded Top 10 Chinese Elevator Brand & Top Quality And Service Company by Government Authority.

2017/03: IFE Goes to IPO in Shenzhen Stock Exchange in China.



Established in 1998



Awarded HDB 9th term in 2007



Self developed 5m/s high speed elevator in 2010



Oracle system adopted in 2012



Successfully IPO in shenzhen stock exchange (code: 002774) in 2017

IFE 20 years



Elevator Production Center

Innovative, faithful, efficient makes up IFE and clearly claims the core values of IFE always persist in.

Based on the quality, management, customer foremost method, IFE keeps updating with technology, market, service.

Through the consistent efforts of all IFEers, IFE is trying to bring a life full of happiness and easiness to more and more people with the service from IFE Elevators.





Equipment performance: used for escalators truss welding.





Summary: This highly intelligent and flexible production line no need any treatment for WIP, and complete sheet metal punching, bending, cleaning, gluing, riveting, thus producing sheet metal automatically. Under the premise of not occupying any production flow time, the flexible programming and automatic setting enable the unmanned production become reality which is economic in lean production.

Products Strengths

The Permanent Magnet Synchronous Motor Gearless Traction machine is a leading trend widely used in elevator industry which is known for safe, reliable, energy-saving with minimum maintenance.

Environment friendly is one of our principles that we always stick to. IFE independently developed PRE-ENE regeneration system can save 45% of energy with this advanced technology.

Advanced 64-bit microprocessor systems with three 8-bit sub processors ensure the overall accuracy and reliability. Through the highly integration and CAN serial communication technology

Safety Protection by Light Curtain **PMSM Destination** Gearless Control Traction Machine **System VVVF** Drive PRE-ENE and Door Regeneration **Operator System Reliable Control System**

IFE elevators are extremely safe just because they are built with individual superior parts and they are perfectly integrated. Safety gear, governor, buffer, ARD, infrared light protection system etc., are some of the safety features provided.


Destination control system is the latest technology that used to distribute the people flow in a smarter way. DCS can lower the cost and energy consumption effectively. With DCS people will enjoy a much comfortable riding experience.

Variable Voltage Variable Frequency also known as VVVF. VVVF drive system enables the elevator to perform nearly seamless acceleration and deceleration. Additionally, V3F door operator can fully ensures the accuracy of elevators.

Destination Control System of People Flow

- Smart people flow destination for the elevators
- Human traffic at lobby is organized
- Reduce your waiting time by 40%
- Special feature for the disable person
- · High security ID card system to make sure building safety
- · less time spent in the elevator

31



Prius Energy Regeneration System

- Save up to 50% energy over conventional system
- Low harmonic distortion
- · Reduced Radio Frequency Interference
- · Reduced peak power demand
- · Benefit for the society







Remote Monitoring System

- · 4G internet connection
- Adopt cloud computing technology
- · Fully handle operation failure
- · VIP customer PC login interface
- · Mobile Internet Application

33





Qualifications



















Qualifications



















Products

IFE supplies a wide range of product line from elevators to escalators which features 10 series products that can be divided into 4 groups: Machine Room-less elevators, Compact Machine Room elevators, High Speed Elevators, Escalators and Moving Walks. IFE supplies a wide range of product line from elevators to escalators which feature.

	Residence	Office	Public Transportation	Hotel	Commercial Building	Hospital	Villa
JOYMORE	•	•	•	•	•	•	
METIS	•	•	•	•	•	•	
GRACES		•	•	•	•	•	
T2			•		•		
FPA CAR	•	•	•	•	•	•	
ATLAS		•	•	•	•	•	
BUILDINGEYE		•		•	•		
VAMB						•	
VILLUX							•





JOYMORE

IFE leading machine room-less Joymore series elevators are designed for a lower construction cost and less headroom with higher efficiency. With high quality PM Synchronous Motor and V3F Drive, Joymore series elevators are able to save up to 40% of energy compare with traditional elevators.

Specifi	cation	300-2050				
Rated Cap	pacity(kg)	300-2050				
Speed	I(m/s)	0.5-2.5				
Control	System	Full collective operation				
Driving 8	System	VVVF Driving				
Door C	ontrol	VVVF Door control				
Traction I	Machine	Gearless				
Communicati	on Method	Serial Communication				
	Width	800-1600				
Car Size	Depth	1100-2500				
	Height	2100-2800				
Door Opening Size	Width	600-2200				
Door Opening Size	Height	2000-2600				
Travel	Height	≤120m				
Hoistway Size	Width	1650-2650				
	Height	1600-2900				
Over	head	≥4000				
Pit D	epth	≥1500				

^{*} Please refer to the project drawing of the specific parameters.





METIS

Metis series compact machine room elevators applies to various kinds of commercial and residential buildings with the latest technologies in a simpler but better structure.

Specifi	cation	375-2050				
Rated Cap	pacity(kg)	375-2050				
Speed	d(m/s)	0.5-5.0				
Control	System	Full collective operation				
Driving 8	System	VVVF Driving				
Door C	ontrol	VVF Door control				
Traction I	Machine	PM/Gearless				
Communicati	ion Method	Serial Communication				
	Width	1100-2200				
Car Size	Depth	800-2500				
	Height	2100-2800				
Dans On anima Sina	Width	600-2600				
Door Opening Size	Height	2000~2600				
Travel	Height	≤200m				
Hoistway Size	Width	1950-2900				
	Height	1450-2900				
Over	head	≥4000				
Pit D	epth	≥1500				

^{*} Please refer to the project drawing of the specific parameters.







GRACES

Escalator is an indispensable part of the daily life. Graces escalator and take people flow into account to reach the optimal efficiency.



The standard color of handrail belt is black, but GRACES can be provided by diversified colors to match the buildings.



42

Step Wid	Ith (mm)	60	00	800				1000			
Inclin	ation	30°/35°									
Applic	ation	(INDOOR /OUTDOOR) 16~20 HRS / DAY									
	Rise		1500≤H≤18000(30°) /2000≤H≤6000(35°)								
Horizontal Steps / H > 6m,3 OR 4 Horizontal Steps / H > 6m,3 OR 4 Horizontal Steps						rizontal Steps					
M : D	Rated Capacity	3600(4400) p	ersons/hour	4800(5900) persons/hour			6000(7300) persons/hour				
Main Parameter	Rated Speed	0.5m/s(0.65m/s)									
	Power	AC 3PH 380V 50HZ;Independent Ground wire									
	Illumination	AC 220V 50HZ									
Driving Machine	Rise	≤5000	≤6000	≤4000	≤5500	≤6000	≤3000	≤4500	≤6000	6000 < H≤18000	
	Electric Motor Power	5.5(5.5) kw	8(8) kw	5.5(8) kw	8(11) kw	11(11) kw	5.5(8) kw	8(11) kw	11(15) kw	15~37kw	

^{*} Please refer to the project drawing of the specific parameters.



FPA Car Elevator

When you are at parking lot, auto showroom or service store, a car elevator allows you to travel between floors.



ATLAS Freight Elevator

IFE offers freight elevators with different design for heavy duty transportation. ATLAS freight elevator is known for great performance, stable operation, high efficiency with reliable system which always perform accurately.



BUILDINGEYE Panoramic Elevator

IFE CE approved BuildingEye panoramic elevator focus on the integration of architecture aesthetics and passengers' visual enjoyment, with 270 degree perspectives, glass cabin, outdoor type etc.



VAMB Hospital Elevator

VAMB hospital elevator meets special requirements for patients' needs with smooth running, specific COP, cabin and buttons.




T2 Travelator / Moving Walk


IFE's travelator/moving walk is designed for heavy traffic areas which included the airport, metro station and subway. It features a space-saving, environmentally sound design.




VILLUX Home Lift

With small shaft design, the space required is only $1.35(m) \times 1.35(m)$, Villux home lift can save up to 40% of space which is suitable for your villa, compared to the old design. Super smooth operations provide the best riding experience for your family.







IFE Elevators Global Branch Offices



 $_{9}$